




English



KIT ES UP T6 - S6 3pcs

[Print to PDF](#)

[Buy now](#)

General Information

Extended Product Type:

KIT ES UP T6 - S6 3pcs

Product ID:

1SDA050692R1

EAN:

8015644509842

Catalog Description:

KIT ES UP T6 - S6 3pcs

Long Description:

1/2 KIT EXTENDED FRONT TERMINALS DISTANCE UPPER THREE-POLE S6-T6

[Add to Cart](#)

[Data Sheet](#)

[Downloads](#)

[Buy now](#)

[Categories](#)

Go To Section:[ABB EcoSolutions](#)[Material Compliance](#)[Environmental](#)[Ordering](#)[Dimensions](#)[Container Information](#)[Additional Information](#)[Technical](#)[Certificates and Declarations](#)[External Classifications and Standards](#)**ABB EcoSolutions****Material Compliance****REACH Declaration:**[REACH Declaration ABB Sace circuit breakers](#)**RoHS Information:**[RoHS Declaration ABB Sace circuit breakers](#)**RoHS Status:**

Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Conflict Minerals Reporting Template (CMRT):[CMRT - Conflict Minerals Reporting Template](#)**Toxic Substances Control Act - TSCA:**[Toxic Substances Control Act \(TSCA\) declaration](#)**Environmental****Environmental Information:**[Breakers - Packaging disposal information](#)**Ordering****E-Number (Finland):**

3655704

E-Number (Norway):

4383569

EAN:

8015644509842

Minimum Order Quantity:

1 piece

Customs Tariff Number:

85389099

Dimensions**Product Net Weight:**

1.883 kg

Container Information

Package Level 1 Units:

1 piece

Package Level 1 Width:

280 mm

Package Level 1 Height:

40 mm

Package Level 1 Depth / Length:

300 mm

Package Level 1 Gross Weight:

1.883 kg

Package Level 1 EAN:

8015644509842

Additional Information

Product Main Type:

Accessories for Tmax T

Product Name:

Accessory

Product Type:

Accessory

Suitable For:

S6, T6

Suitable for Product Class:

SACE Tmax T

SACE Isomax

Technical

Configuration Type:

Loose or configurable

Device:

S6

Number of Poles:

3P

Standards:

IEC

Certificates and Declarations

Data Sheet, Technical Information:

[SACE Tmax. T Generation. Low voltage moulded-case circuit-breakers from 250 A up to 1600 A U.S. Catalog - SACE Tmax for special applications. Adaptability, versatility and complete freedom](#)

Declaration of Conformity - CE:

[Refer to the EU Declaration of the relative Circuit Breaker](#)

Instructions and Manuals:

[Extended front terminals \(EF\) and spread extended front terminals \(ES\) for fixed S6-S7](#)

External Classifications and Standards

ETIM 8:

EC002019 - Connection vane/phase spreader

ETIM 9:

EC002019 - Connection vane/phase spreader

Object Classification Code:

Q

WEEE Category:

5. Small Equipment (No External Dimension More Than 50 cm)

eClass:

V11.1 : 27371305



ENGINEERED
TO OUTRUN



ENGINEERED
TO OUTRUN



ENGINEERED
TO OUTRUN



ENGINEERED
TO OUTRUN

PRODUCTS

Offerings A-Z

Services

Where to buy

INDUSTRY SOLUTIONS

Channel partners

Buildings and infrastructure

Industrial automation

Marine

Oil & gas

Power generation

INVESTORS

Investor & shareholder resources

Quarterly results & annual reports

Corporate governance

Calendar, events and publications

COMPANY

Customer events

News & media

Who we are

Innovation

Careers

Sustainability

Our values

Supplying



Provider
information

Privacy Notice

Cookie settings

© 1995 - 2025