




 PRODUCT-DETAILS

KIT MC CuAl 6x35mm² T4 3pcs

KIT MC CuAl 6x35mm² T4 3pcs



General Information

Extended Product Type	KIT MC CuAl 6x35mm ² T4 3pcs
Product ID	1SDA054996R1
EAN	8015644561406
Catalog Description	KIT MC CuAl 6x35mm ² T4 3pcs
Long Description	FRONT TERMINALS MULTICABLE FOR CABLES IN COPPER-ALUMINIUM 6x35mm ² 3pcs T4

ABB EcoSolutions

Environmental Product Declaration - EPD	No declaration needed
---	-----------------------

Material Compliance

REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental

Environmental Information	9AKK108467A6707
---------------------------	-----------------

Ordering

E-Number (Norway)	4383817
E-Number (Sweden)	3181574
EAN	8015644561406
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.64 kg
--------------------	---------

Container Information

Package Level 1 Units	1 piece
Package Level 1 Gross Weight	0.74 kg
Package Level 1 EAN	8015644561406

Additional Information

Product Main Type	Accessories for Tmax T
Product Name	Accessory
Product Type	Accessory
Suitable For	T4
Suitable for Product Class	SACE Tmax T

Technical

Configuration Type	Loose or configurable
Number of Poles	3P
Standards	IEC

Certificates and Declarations

Data Sheet, Technical Information	1SDC210015D0208 1SDC210300D0201
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and	1SDH000436R0827

Manuals

External Classifications and Standards

ETIM 8	EC002019 - Connection vane/phase spreader
ETIM 9	EC002019 - Connection vane/phase spreader
Object Classification Code	Q
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27371305

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T

