




English ▼



YO/YC TEST UNIT TmaxT/XT-X1-Emax-Emax2

[Print to PDF](#)

[Buy now](#)

General Information

Extended Product Type:

YO/YC TEST UNIT TmaxT/XT-X1-Emax-Emax2

Product ID:

1SDA082751R1

EAN:

8015644894290

Catalog Description:

YO/YC TEST UNIT TmaxT/XT-X1-Emax-Emax2

Long Description:

SACE YO/YC TEST UNIT (TEST UNIT FOR SHUNT OPENING RELEASE) TmaxT/XT-X1-Emax-Emax2

[Add to Cart](#)

Data Sheet

Downloads

Buy now

Categories

Go To Section:

Material Compliance
Ordering
Container Information
Technical
External Classifications and Standards

Environmental
Dimensions
Additional Information
Certificates and Declarations

Material Compliance**REACH Declaration:**

[REACH Declaration ABB Sace circuit breakers](#)

RoHS Information:

[RoHS Declaration ABB Sace circuit breakers](#)

RoHS Status:

Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Environmental**Environmental Information:**

[1SDL000145R0](#)

Ordering**Order Code US and Canada:**

ZEAYOYCT

EAN:

8015644894290

Minimum Order Quantity:

1 piece

Customs Tariff Number:

85389099

Dimensions**Product Net Width:**

85 mm

Product Net Height:

66 mm

Product Net Depth / Length:

116 mm

Product Net Weight:

0.216 kg

Container Information**Package Level 1 Units:**

1 piece

Package Level 1 Width:

85 mm

Package Level 1 Height:

66 mm

Package Level 1 Depth / Length:

116 mm

Package Level 1 Gross Weight:

0.216 kg

Package Level 1 EAN:

8015644894290

Additional Information**Product Main Type:**

Accessories for Emax 2, Accessories for Tmax XT

Product Name:

Accessory

Product Type:

Accessory

Suitable For:

E1, E2, E3, E4, E6, T8, T7, X1, XT7-XT7M, E1.2, E2.2, E4.2, E6.2, XT1, XT2, XT3, XT4

Suitable for Product Class:

SACE Emax 2, SACE Emax, SACE Tmax T, SACE Tmax XT, X1

Technical**Configuration Type:**

Loose or configurable

Order Multiple:

1 piece

Standards:

IEC

Certificates and Declarations**Data Sheet, Technical Information:**

[SACE Tmax.T Generation. Low voltage moulded-case circuit-breakers from 250 A up to 1600 A U.S. Catalog - SACE Tmax for special applications. Adaptability, versatility and complete freedom](#)

Declaration of Conformity - CE:

[1SDL000165R0019](#)

[1SDL000165R0020](#)

[1SDL000165R0021](#)

[1SDL000165R0022](#)

Instructions and Manuals:

[YO-YC Test unit](#)

External Classifications and Standards**ETIM 8:**

EC002498 - Accessories/spare parts for low-voltage switch technology

ETIM 9:

EC002498 - Accessories/spare parts for low-voltage switch technology

IDEA Granular Category Code (IGCC):

5219 >> Switch part or accessory

Object Classification Code:

Q

UNSPSC:

39122221

WEEE Category:

5. Small Equipment (No External Dimension More Than 50 cm)

eClass:

V11.1 : 27371392



PRODUCTS

[Offerings A-Z](#)

[Services](#)

[Where to buy](#)

INDUSTRY SOLUTIONS

[Channel partners](#)

[Buildings and infrastructure](#)

[Industrial automation](#)

[Marine](#)

[Oil & gas](#)

[Power generation](#)

INVESTORS

[Investor & shareholder resources](#)

[Quarterly results & annual reports](#)

[Corporate governance](#)

[Calendar, events and publications](#)

COMPANY

[Customer events](#)

[News & media](#)

[Who we are](#)

[Innovation](#)

[Careers](#)

[Sustainability](#)

[Our values](#)

[Supplying](#)



[Provider information](#)

[Privacy Notice](#)

[Cookie settings](#)

© 1995 - 2025