




Search item number

Ac . . t

La EN: je:  
English

[Back to overview](#)

 Feedback

+ Hover and scroll to zoom | Click to enlarge

EPS-65-5-C

AC-DC Single output Enclosed power supply; Output 5Vdc at 11A; case included

0 reviews | [Write feedback](#)

[Print preview](#)

Availability **Stock available on request**

Quantity:    piece(s)

Multiple order quantity: 45

Minimum order quantity: 1

Price **€ 16,80** price per piece(s)  
excl. tax

**Calculate volume discount**

- Add to my basket
- [To my wish list](#)
- [To my quote list](#)
- [+ Compare](#)

|                                |                             |                           |                               |                           |
|--------------------------------|-----------------------------|---------------------------|-------------------------------|---------------------------|
| <a href="#">Specifications</a> | <a href="#">Reviews (0)</a> | <a href="#">Datasheet</a> | <a href="#">Certification</a> | <a href="#">Downloads</a> |
|--------------------------------|-----------------------------|---------------------------|-------------------------------|---------------------------|

Specifications



| Technical data     |  | Information       |                    |
|--------------------|--|-------------------|--------------------|
| Brand              | MEAN WELL  | Commodity         | 8504408390         |
| Item number        | EPS-65-5-C   | Warranty pack     | 36 Months Bring-In |
| Series             | EPS-65-C   | RoHS              | Compliant          |
| Description        | AC-DC Single output Enclosed power supply; Output 5Vdc at 11A; case included | Packing quantity  | 45                 |
| Application        | ITE EN/UL/IEC 60950  | Net weight (gram) | 220                |
| Technology         | AC/DC  |                   |                    |
| Power Format       | Open Frame - PCB   |                   |                    |
| Output Power (W)   | 65   |                   |                    |
| Output Voltage (V) | 5  |                   |                    |
| Output Current (A) | 11   |                   |                    |
| Input Voltage (V)  | 110/230 universal input<br>90 - 264  |                   |                    |
| IP Rating          | No IP assigned   |                   |                    |
| Width (mm)         | 62   |                   |                    |
| Height (mm)        | 37   |                   |                    |
| Depth (mm)         | 103.4  |                   |                    |
| Dimming Technology | No Dimming   |                   |                    |

Reviews (0)

There are no reviews yet.

Write feedback

Datasheet

Datasheets & test reports provided by MEAN WELL

Report

Certification

All available certificates from MEAN WELL

UL Certificate

Downloads

Drawing

Last viewed products

Show last viewed products Clear



**EPS-65-5**  
AC-DC Single output Open frame power supply; Output 5Vdc at 11A

€ 13,<sup>20</sup>

Add to my baske

To my wish list

To my quote list

+ Compare



**EPS-65-48-C**  
AC-DC Single output Enclosed power supply; Output 48Vdc at 1.36A; case included

€ 16,<sup>80</sup>

Add to my baske

To my wish list

To my quote list

+ Compare



**EPS-65-48**  
AC-DC Single output Open frame power supply; Output 48Vdc at 1.36A

€ 13,<sup>20</sup>

Add to my baske

To my wish list

To my quote list

+ Compare



**EPS-65-36-C**  
AC-DC Single output Enclosed power supply; Output 36Vdc at 1.81A; case included

€ 16,<sup>80</sup>

Add to my basket

To my wish list

To my quote list

+ Compare



Quicklinks

- Home
- Industries & Markets
- Contact us
- Login
- Technical Notes
- FAQ
- New Products
- Wishlist
- Product updates
- My account
- About MEAN WELL
- Basket
- Customer Service
- Power Supplies
- Information Request

Addresses

Office in the Netherlands

Minervum 7139  
4817 ZN BREDA

+31 76 578 20 00  
info@telereurope.com

Office in Belgium

Uilenbaan 90  
2160 WOMMELGEM

+32 3 326 40 00  
info@telereurope.com

Copyright © 2013-2025 MEAN WELL Web. All rights reserved. Member of the Eight Lakes group.

About MEAN WELL Web Contact us Privacy policy Terms & conditions Disclaimer

