La**EN**ua Je: English

Back to overview

+ Hover and scroll to zoom | Click to enlarge

EPS-65S-12

AC-DC Single output Open frame power supply; Output 12VDC at 5.42A; 1U low profile; 3"x2" miniature size

0 reviews Write feedback

_							
Р	rır	١t	nı	re	71	P	۱۸/
			ρ,	_	٠.	_	••

Availability Stock available on request piece(s) Quantity: Multiple order quantity: 120

Minimum order quantity: 1

price per piece(s) € 13,20 excl. tax

Calculate volume discount

Add to my basket

To my wish list

To my quote list

+ Compare

Price

Specifications	Reviews (0)	Datasheet	Certification	Manual	Downloads

Specifications

Technical data		Information	
Brand	MEAN WELL	Commodity	8504408390
Item number	EPS-65S-12	Warranty pack	36 Months Bring-In
Series	EPS-65S	RoHS	Compliant
Description	AC-DC Single output Open frame power supply; Output 12VDC at 5.42A; 1U low profile; 3"x2" miniature size	Packing quantity	120
Application	ITE EN/UL/IEC 60950	Net weight (gram)	100
Technology	AC/DC		
Power Format	Open Frame - PCB		
Output Power (W)	65		
Output Voltage (V)	12		
Output Current (A)	5.42		
Input Voltage (V)	110/230 universal input 80 - 264		
IP Rating	No IP assigned		
Width (mm)	50.8		
Height (mm)	24		
Depth (mm)	76.2		
Dimming Technology	No Dimming		

IJ

There are no reviews yet.

Write feedback

Datasheet

Datasheets & test reports provided by MEAN WELL



Certification

All available certificates from MEAN WELL



CE Declaration

EMC Certificate

TUV Certificate

Manual

MEAN WELL instruction manuals





Manual | PCB- Nederlands

Downloads

Drawing

Last viewed products

Show last viewed products

Clear



EPS-65-7.5-C

AC-DC Single output Enclosed power supply; Output 7.5Vdc at 8A; case included



Add to my baske

To my wish list

To my quote list

+ Compare



AC-DC Single output Open frame power supply; Output 7.5Vdc at 8A

€ 13,²⁰

Add to my baske

To my wish list

To my quote list

+ Compare EPS-65-5-C



AC-DC Single output Enclosed power supply; Output 5Vdc at 11A; case included

U



Add to my baske

To my wish list

To my quote list

+ Compare



EPS-65-5

AC-DC Single output Open frame power supply; Output 5Vdc at 11A



Add to my baske

To my wish list

To my quote list

+ Compare



Quicklinks

HomeLoginFAQWishlistMy accountBasketPower SuppliesIndustries & MarketsTechnical NotesNew ProductsProduct updatesAbout MEAN WELLCustomer ServiceInformation Request

Contact us

Addresses

Office in the Netherlands

Minervum 7139 4817 ZN BREDA

+31 76 578 20 00

info@telerex-europe.com

Office in Belgium Uilenbaan 90 2160 WOMMELGEM

+32 3 326 40 00

info@telerex-europe.com

 $\label{lem:copyright} \ @\ 2013-2025\ \mathsf{MEAN}\ \mathsf{WELL}\ \mathsf{Web}.\ \mathsf{All}\ \mathsf{rights}\ \mathsf{reserved}.\ \mathsf{Member}\ \mathsf{of}\ \mathsf{the}\ \mathsf{Eight}\ \mathsf{Lakes}\ \mathsf{group}.$

About MEAN WELL Web Contact us Privacy policy Terms & conditions Disclaimer

Έ