




Search item number

Account

Language:
English

[Back to overview](#)

 Feedback

+ Hover and scroll to zoom | Click to enlarge

MDD06F-12

DC-DC medical Converter PCB mount; Ultra-wide Input 9-36Vdc; Dual Output +-12Vdc at +-0.25A; DIP Through hole package; 2xMOPP

0 reviews | [Write feedback](#)

[Print preview](#)

Availability **Stock available on request**

Multiple order quantity: 15

Minimum order quantity: 1

- [To my wish list](#)
- [To my quote list](#)
- [+ Compare](#)

No pricing available? Please request a quote today.

Specifications	Reviews (0)	Certification
--------------------------------	-----------------------------	-------------------------------

Specifications



Technical data		Information	
Brand	MEAN WELL	Commodity	8504409590
Item number	MDD06F-12	Warranty pack	36 Months Bring-In
Series	MDD06	RoHS	Compliant
Description	DC-DC medical Converter PCB mount; Ultra-wide Input 9-36Vdc; Dual Output +-12Vdc at +-0.25A; DIP Through hole package; 2xMOPP		
		Packing quantity	15
Application	Medical EN/UL 60601	Net weight (gram)	17
Technology	DC/DC		
Power Format	PCB Mount - Through Hole		
Output Power (W)	6		
Output Voltage (V)	-12 12		
Output Current (A)	-0.25 0.25		
Input Voltage (V)	9 - 36		
IP Rating	No IP assigned		
Width (mm)	20.3		
Height (mm)	12.2		
Depth (mm)	31.8		
Dimming Technology	No Dimming		

Reviews (0)

There are no reviews yet.

Write feedback


Certification

All available certificates from MEAN WELL

 [CE Declaration](#)

Last viewed products

[Show last viewed products](#) [Clear](#)



MDD06F-05
DC-DC medical Converter PCB mount; Ultra-wide Input 9-36Vdc; Dual Output +5Vdc at +0.6A; DIP Through hole package; 2xMOPP

No pricing available? Please request a quote today.

- [To my wish list](#)
- [To my quote list](#)
- [+ Compare](#)



M-C091
Heatsink for MHB75 / 100 / 150 series DC-DC converters; Horizontal fins



No pricing available? Please request a quote today.

- [To my wish list](#)
- [To my quote list](#)
- [+ Compare](#)



LRS-75-5
AC-DC Single output enclosed power supply; Universal AC input; Output 5Vdc at 14A; Up to 5G vibration; 1U low profile

€ 14,⁷⁰

Add to my baske

- [To my wish list](#)
- [To my quote list](#)
- [+ Compare](#)



TBC-09
Cover for terminal Blocks: RSP-200/320 and LRS-200/350

No pricing available? Please request a quote today.

[To my wish list](#)

[To my quote list](#)

[+ Compare](#)



Quicklinks

- Home
- Login
- FAQ
- Wishlist
- My account
- Basket
- Power Supplies
- Industries & Markets
- Technical Notes
- New Products
- Product updates
- About MEAN WELL
- Customer Service
- Information Request
- Contact us

Addresses

Office in the Netherlands	Office in Belgium
Minervum 7139	Uilenbaan 90
4817 ZN BREDA	2160 WOMMELGEM
+31 76 578 20 00	+32 3 326 40 00
info@telereurope.com	info@telereurope.com

Copyright © 2013-2025 MEAN WELL Web. All rights reserved. Member of the Eight Lakes group.

[About MEAN WELL Web](#) [Contact us](#) [Privacy policy](#) [Terms & conditions](#) [Disclaimer](#)

