Back to overview

Search item number

Ac J...t

e: ال La**EN** English

| Feedback

+ Hover and scroll to zoom | Click to enlarge

MDS06F-05

DC-DC medical Converter PCB mount; Ultra-wide Input 9-36Vdc; Single Output 5Vdc at 1.2A; DIP Through hole package; 2xMOPP

0 reviews Write feedback

Print preview

Availability Stock available on request

Multiple order quantity: 15

Minimum order quantity: 1

To my wish list
To my quote list

+ Compare

No pricing available? Please request a quote today.

Specifications

Reviews (0)

Certification

Specifications

Technical data		Information	
Brand	MEAN WELL	Commodity	8504409590
Item number	MDS06F-05	Warranty pack	36 Months Bring-In
Series	MDS06	RoHS	Compliant
Description	DC-DC medical Converter PCB mount; Ultra-wide Input 9-36Vdc; Single Output 5Vdc at 1.2A; DIP Through hole package; 2xMOPP	Packing quantity	15
Application	Medical EN/UL 60601	Net weight (gram)	17
Technology	DC/DC		
Power Format	PCB Mount - Through Hole		
Output Power (W)	6		
Output Voltage (V)	5		
Output Current (A)	1.2		
Input Voltage (V)	9 - 36		
IP Rating	No IP assigned		
Width (mm)	20.3		
Height (mm)	12.2		
Depth (mm)	31.8		
Dimming Technology	No Dimming		

Reviews (0)

U

Write feedback

Certification

All available certificates from MEAN WELL



Last viewed products

Show last viewed products

Clear



MDD06G-12

DC-DC medical Converter PCB mount; Ultra-wide Input 18-75Vdc; Dual Output +-12Vdc at +-0.25A; DIP Through hole package; 2xMOPP

No pricing available? Please request a quote today.

To my wish list

To my quote list

+ Compare

MDD06G-05

DC-DC medical Converter PCB mount; Ultra-wide Input 18-75Vdc; Dual Output +-5Vdc at +-0.6A; DIP Through hole package; 2xMOPP



To my wish list

To my quote list

+ Compare



MDD06F-12

DC-DC medical Converter PCB mount; Ultra-wide Input 9-36Vdc; Dual Output +-12Vdc at +-0.25A; DIP Through hole package; 2xMOPP

No pricing available? Please request a quote today.

To my wish list

To my quote list

+ Compare



MDD06F-05

DC-DC medical Converter PCB mount; Ultra-wide Input 9-36Vdc; Dual Output +-5Vdc at +-0.6A; DIP Through hole package; 2xMOPP

No pricing available? Please request a quote today.

To my wish list

To my quote list

U



Quicklinks

HomeLoginFAQWishlistMy accountBasketPower SuppliesIndustries & MarketsTechnical NotesNew ProductsProduct updatesAbout MEAN WELLCustomer ServiceInformation Request

Contact us

Addresses

Office in the NetherlandsOffice in BelgiumMinervum 7139Uilenbaan 904817 ZN BREDA2160 WOMMELGEM

 +31 76 578 20 00
 +32 3 326 40 00

 info@telerex-europe.com
 info@telerex-europe.com

Copyright © 2013-2025 MEAN WELL Web. All rights reserved. Member of the Eight Lakes group.

About MEAN WELL Web Contact us Privacy policy Terms & conditions Disclaimer

Έ