Back to overview

Search item number

Ac J...t

La**EN**uage: English

Feedbac

+ Hover and scroll to zoom | Click to enlarge

MDS06G-05

DC-DC medical Converter PCB mount; Ultra-wide Input 18-75Vdc; Single Output 5Vdc at 1.2A; DIP Through hole package; 2xMOPP

0 reviews Write feedback

Print preview

Availability

Stock available on request

Multiple order quantity: 15

Minimum order quantity: 1

To my wish list

To my quote list

+ Compare

No pricing available? Please request a quote today.

Specifications

Reviews (0)

Certification

Specifications

Technical data		Information	
Brand	MEAN WELL	Commodity	8504409590
Item number	MDS06G-05	Warranty pack	36 Months Bring-In
Series	MDS06	RoHS	Compliant
Description	DC-DC medical Converter PCB mount; Ultra-wide Input 18-75Vdc; Single Output 5Vdc at 1.2A; DIP Through hole package; 2xMOPP	Packing quantity	15
Application	Medical EN/UL 60601	Net weight (gram)	17
Technology	DC/DC		
Power Format	PCB Mount - Through Hole		
Output Power (W)	6		
Output Voltage (V)	5		
Output Current (A)	1.2		
Input Voltage (V)	18 - 75		
IP Rating	No IP assigned		
Width (mm)	20.3		
Height (mm)	12.2		
Depth (mm)	31.8		
Dimming Technology	No Dimming		

Reviews (0)

Write feedback

Certification

All available certificates from MEAN WELL



Last viewed products

Show last viewed products

Clear



MDS06F-12

DC-DC medical Converter PCB mount; Ultra-wide Input 9-36Vdc; Single Output 12Vdc at 0.5A; DIP Through hole package; 2xMOPP

No pricing available? Please request a quote today.

To my wish list

To my quote list

+ Compare



DC-DC medical Converter PCB mount; Ultra-wide Input 9-36Vdc; Single Output 5Vdc at 1.2A; DIP Through hole package; 2xMOPP



To my wish list

To my quote list

+ Compare



DC-DC medical Converter PCB mount; Ultra-wide Input 18-75Vdc; Dual Output +-12Vdc at +-0.25A; DIP Through hole package; 2xMOPP

No pricing available? Please request a quote today.

To my wish list

To my quote list

+ Compare



MDD06G-05

DC-DC medical Converter PCB mount; Ultra-wide Input 18-75Vdc; Dual Output +-5Vdc at +-0.6A; DIP Through hole package; 2xMOPP

No pricing available? Please request a quote today.

To my wish list

To my quote list

U



Quicklinks

HomeLoginFAQWishlistMy accountBasketPower SuppliesIndustries & MarketsTechnical NotesNew ProductsProduct updatesAbout MEAN WELLCustomer ServiceInformation Request

Contact us

Addresses

Office in the NetherlandsOffice in BelgiumMinervum 7139Uilenbaan 904817 ZN BREDA2160 WOMMELGEM

+31 76 578 20 00 +32 3 326 40 00 info@telerex-europe.com info@telerex-europe.com

Copyright © 2013-2025 MEAN WELL Web. All rights reserved. Member of the Eight Lakes group.

About MEAN WELL Web Contact us Privacy policy Terms & conditions Disclaimer

Έ