Search item number

Ac J...t

La<mark>EN</mark>uage: English

Back to overview

геедраск

+ Hover and scroll to zoom | Click to enlarge

### SPBW03G-03

DC-DC Converter PCB mount; Input 18-75Vdc; Single Output 3.3Vdc at 0.7A; SIP Through hole package

0 reviews Write feedback

Print preview

Availability

Stock available on request

Multiple order quantity: 2100

Minimum order quantity: 1

To my wish list

To my quote list

+ Compare

No pricing available? Please request a quote today.

Specifications Reviews (0) Datasheet Certification Downloads

# **Specifications**

Technical data		Information	
Brand	MEAN WELL	Commodity	8504409590
Item number	SPBW03G-03	Warranty pack	36 Months Bring-In
Series	SPBW03	RoHS	Compliant
Description	DC-DC Converter PCB mount; Input 18-75Vdc; Single Output 3.3Vdc at 0.7A; SIP Through hole package	Packing quantity	2100
Technology	DC/DC	Net weight (gram)	4.8
Power Format	PCB Mount - Through Hole		
Output Power (W)	3		
Output Voltage (V)	3.3		
Output Current (A)	0.7		
Input Voltage (V)	18 - 75		
IP Rating	No IP assigned		
Width (mm)	9.2		
Height (mm)	11.1		
Depth (mm)	21.8		
Dimming Technology	No Dimming		

# Reviews (0)

There are no reviews yet.

Write feedback

#### Datasheet

Datasheets & test reports provided by MEAN WELL





### Certification

All available certificates from MEAN WELL



E Declaration

### **Downloads**

Drawing



Short Form | DC-DC Converter

## Last viewed products

Show last viewed products

Clear



#### SPBW03F-15

DC-DC Converter PCB mount; Input 9-36Vdc; Single Output 15Vdc at 0.2A; SIP Through hole package

No pricing available? Please request a quote today.

To my wish list

To my quote list

+ Compare



DC-DC Converter PCB mount; Input 9-36Vdc; Single Output 12Vdc at 0.25A; SIP Through hole package



No pricing available? Please request a quote today.

To my wish list

To my quote list

+ Compare RT-125B



AC-DC Triple output enclosed power supply; Output +5Vdc at 12A +12Vdc at 5A -12Vdc at 1A

€ 32,<sup>20</sup>

Add to my baske

To my wish list

To my quote list

+ Compare



#### RSP-320-4

AC-DC Single Output Enclosed power supply; Output 4VDC Single Output at 60A; PFC; forced air cooling; 1U low profile

U



Add to my baske

To my wish list

To my quote list

+ Compare



#### Quicklinks

HomeLoginFAQWishlistMy accountBasketPower SuppliesIndustries & MarketsTechnical NotesNew ProductsProduct updatesAbout MEAN WELLCustomer ServiceInformation Request

Office in Belgium

2160 WOMMELGEM

Uilenbaan 90

Contact us

Addresses

**Office in the Netherlands** Minervum 7139 4817 ZN BREDA

+31 76 578 20 00 +32 3 326 40 00 info@telerex-europe.com info@telerex-europe.com

Copyright © 2013-2025 MEAN WELL Web. All rights reserved. Member of the Eight Lakes group.

About MEAN WELL Web Contact us Privacy policy Terms & conditions Disclaimer

Έ