



Search item number

Ac J t

La EN: je:
English

[Back to overview](#)

 Feedback

+ Hover and scroll to zoom | Click to enlarge

SPBW03G-15

DC-DC Converter PCB mount; Input 18-75Vdc; Single Output 15Vdc at 0.2A; SIP Through hole package

0 reviews | Write feedback

Print preview

Availability Stock available on request

Multiple order quantity: 2100

Minimum order quantity: 1

- To my wish list
- To my quote list
- + Compare

No pricing available? Please request a quote today.

Specifications	Reviews (0)	Datasheet	Certification	Downloads
----------------	-------------	-----------	---------------	-----------

Specifications

Technical data		Information	
Brand	MEAN WELL	Commodity	8504409590
Item number	SPBW03G-15	Warranty pack	36 Months Bring-In
Series	SPBW03	RoHS	Compliant
Description	DC-DC Converter PCB mount; Input 18-75Vdc; Single Output 15Vdc at 0.2A; SIP Through hole package	Packing quantity	2100
Technology	DC/DC	Net weight (gram)	4.8
Power Format	PCB Mount - Through Hole		
Output Power (W)	3		
Output Voltage (V)	15		
Output Current (A)	0.2		
Input Voltage (V)	18 - 75		
IP Rating	No IP assigned		
Width (mm)	9.2		
Height (mm)	11.1		
Depth (mm)	21.8		
Dimming Technology	No Dimming		

Reviews (0)

There are no reviews yet.

[Write feedback](#)

Datasheet

Datasheets & test reports provided by MEAN WELL

-  [Datasheet](#)
-  [Report](#)

Certification

All available certificates from MEAN WELL

-  [CE Declaration](#)

Downloads

- [Drawing](#)
-  [Short Form](#) | [DC-DC Converter](#)

Last viewed products

[Show last viewed products](#) [Clear](#)



SPBW03G-12

DC-DC Converter PCB mount; Input 18-75Vdc; Single Output 12Vdc at 0.25A; SIP Through hole package

No pricing available? Please request a quote today.

- [To my wish list](#)
- [To my quote list](#)
- [+ Compare](#)



SPBW03G-05

DC-DC Converter PCB mount; Input 18-75Vdc; Single Output 5Vdc at 0.6A; SIP Through hole package

No pricing available? Please request a quote today.

- [To my wish list](#)
- [To my quote list](#)
- [+ Compare](#)



SPBW03G-03

DC-DC Converter PCB mount; Input 18-75Vdc; Single Output 3.3Vdc at 0.7A; SIP Through hole package

No pricing available? Please request a quote today.

- [To my wish list](#)
- [To my quote list](#)
- [+ Compare](#)



SPBW03F-15

DC-DC Converter PCB mount; Input 9-36Vdc; Single Output 15Vdc at 0.2A; SIP Through hole package

No pricing available? Please request a quote today.

No pricing available. Please request a quote today.

- [To my wish list](#)
- [To my quote list](#)
- [+ Compare](#)



Quicklinks

- [Home](#)
- [Industries & Markets](#)
- [Contact us](#)
- [Login](#)
- [Technical Notes](#)
- [FAQ](#)
- [New Products](#)
- [Wishlist](#)
- [Product updates](#)
- [My account](#)
- [About MEAN WELL](#)
- [Basket](#)
- [Customer Service](#)
- [Power Supplies](#)
- [Information Request](#)

Addresses

Office in the Netherlands

Minervum 7139
4817 ZN BREDA

+31 76 578 20 00
info@telereurope.com

Office in Belgium

Uilenbaan 90
2160 WOMMELGEM

+32 3 326 40 00
info@telereurope.com

Copyright © 2013-2025 MEAN WELL Web. All rights reserved. Member of the Eight Lakes group.

[About MEAN WELL Web](#) [Contact us](#) [Privacy policy](#) [Terms & conditions](#) [Disclaimer](#)

